## RECEIVED CENTRAL FAX CENTER

		OBMILE LVIV OR
RANSMISSI	ON	FEB 1 0 200
ruary 10, 2005		
R: Application Number Patent Number	•	
nya Hasegawa et al.	· · ·	
Certificate of Correction	ons Branch	-
(703) 308-6672		
ONNOLLY BOVE LOD	GE & HUTZ LLP	
ortis Liss		
02) 331-7111		
#: 20402-00639-US2		
ling Cover Sheet):5		
If your receipt of this transmission is in error, please notify this firm immediately by collect call to sender at (202) 331-7111 and send the original transmission to us by return mail at the address below.		
This transmission is intended for the sole use of the individual and entity to whom it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. You are hereby notified that any dissemination, distribution or duplication of this transmission by someone other than the intended addressee or its designated agent is strictly prohibited.		
1990 M Street, N.W., St	uite 800, Washington, DC 20036-3	425 29
	ruary 10, 2005  R: Application Number Patent Number nya Hasegawa et al.  : Certificate of Correction : (703) 308-6672  ONNOLLY BOVE LODE fortis Liss : (02) 331-7111  #: 20402-00639-US2  ding Cover Sheet): 5  Request for Certificate of Correction (Form Certificate of Correction (Form Certificate of Transmission  If your receipt of this transmicollect call to sender at (202) return mail at the address between the address between the addressed, and confidential and exempt form the addressed of the	Patent Number 6,802,815 Inya Hasegawa et al.  Certificate of Corrections Branch:  (703) 308-6672  ONNOLLY BOVE LODGE & HUTZ LLP  (orris Liss  O2) 331-7111  #: 20402-00639-US2  Request for Cortificate of Correction (No Fee) Certificate of Correction (Form PTO/SB/44) Certificate of Transmission  If your receipt of this transmission is in error, please notify the collect call to sender at (202) 331-7111 and send the original return mail at the address below.  This transmission is intended for the sole use of the individual whom it is addressed, and may contain information that confidential and exempt from disclosure under applicable notified that any dissemination, distribution or duplication transmission by someone other than the intended address

FEB. 10. 2005 2:00PM

PTO/SB/97 (09-04)
Approved for use through 07/31/2008. OMB 0651-0031
U. S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information uniters at displays a varied QMB control number.

Application No. (If known): 10/721,083

Attorney Docket No.: 20402-00639-US2

Certificate of Transmission under 37 CFR 1.8

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent and Trademark Office.

on February 10, 2005

Date

Signature

Lisa Hawkins

Typed or printed name of person signing Certificate

(202) 331-7111

Registration Number, if applicable

Telephone Number

Note: Each paper must have its own certificate of transmission, or this certificate must identify each submitted paper.

Request for Certificate of Correction (No Fee) (2 pages)

Docket No.: 20402-00639-US2

(PATENT)

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Letters Patent of; Kinya Hasegawa et al. RECEIVED
CENTRAL FAX CENTER

FEB 1 0 2005

Patent No.: 6,802,815

Issued: October 12, 2004

For: NONINVASIVE CONTINUOUS BLOOD
MEASURING APPARATUS AND A METHOD
OF NONINVASIVELY MEASURING
CONTINUOUS BLOOD PRESSURE

## REQUEST FOR CERTIFICATE OF CORRECTION PURSUANT TO 37 CFR 1.322

MS Post Issue Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Upon reviewing the above-identified patent, Patentee noted typographical errors which should be corrected.

On the cover page of the patent at (62) "filed on Apr. 29, 2002, now Pat. No. 6,743,178" should read --filed on Jan. 29, 2002, now Pat. No. 6,743,178, which is a division of 09/290,394 filed on April 13, 1999, now Pat. No. 6,358,212—.

The errors were not in the application as filed by applicant; accordingly no fee is required.

Transmitted herewith is a proposed Certificate of Correction effecting such amendment.

Patentee respectfully solicits the granting of the requested Certificate of Correction.

378202

Patent No.: 6,802,815

Docket No.: 20402-00639-US2

Applicant believes no fee is due with this request. However, if a fee is due, please charge our Deposit Account No. 22-0185, under Order No. 20402-00639-US2 from which the undersigned is authorized to draw.

Dated: February 10, 2005

Respectfully submitted,

Morris Liss

Registration No.: 24,510

CONNOLLY BOVE LODGE & HUTZ LLP

1990 M Street, N.W., Suite 800 Washington, DC 20036-3425

(202) 331-7111

(202) 293-6229 (Fax)

Attorney for Applicant

PTO/38/44 (04-04)
Approved for use through 04/30/2007. OMB 0651-0033
U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a water CMB control number.

(Also Form PTO-1050)

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

6,802,815

DATED

October 12, 2004

INVENTOR(S) :

Kinya Hasegawa et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the cover page of the patent at (62) "filed on Apr. 29, 2002, now Pat. No. 6,743,178." should read --filed on Jan. 29, 2002, now Pat. No. 6,743,178, which is a division of 09/290,394 filed on April 13, 1999, now Pat. No. 6,358,212.--

MAILING ADDRESS OF SENDER: Morris Liss CONNOLLY BOVE LODGE & HUTZ LLP 1990 M Street, N.W., Suite 800 Washington, DC 20036-3425 378201

PATENT NO. 6,802,815

No. of additional copies O